



length overall	8.73m	28' 8"
length waterline	8.02m	26' 4"
beam overall	5.3m	17' 5"
hull beam	1.23m	4'
draft overall	0.65m	2' 2"
hull draft	0.27m	11"
displacement	1520kg	3350 lb
bridgedeck clearance	0.56m	1' 10"
air draft	14.55m	47' 9"
mast height	11.88m	39'
mainsail	26.06m ²	281 sq ft
jib	11.59m ²	125 sq ft
berths	5 (2 doubles, 1 single)	

construction	- epoxy resin-infused glass fibre foam core sandwich composite (Airex C 70.75)
twin motors	- Yamaha 15hp 2-stroke longshaft outboards (or choice of electric outboards or electric inboards)
bridgedeck	- galley module including 'tilt-up' table - steering console with wheel and motor controls - seat storage, soft-top bimini
trampoline/netting	- forward of bridgedeck
twin heads	- with marine toilets, cupboards and basins
hull skegs	- reinforced and breakaway in the event of grounding
rudders	- balanced and removable - hydraulics system incorporating rudder feedback to helm
crossbeams	- anodised, 2-K painted aluminium (forward crossbeam with dolphin-striker and bow roller, mast main beam with dolphin-striker, and aft main beam)
Gebo hatches	- 4 x round opening hatches - 2 x aft stowage hatches - 2 x opening portlights in heads windows
also	- 2 x companionway hatches
Harken deck equip.	- 2 x 2-speed selftailing winches - main & jib track, control blocks & cars - main & swivel blocks - deck organizers - rope clutches (Spinlock)
also	- 4 x stainless steel pushpits/pulpits, - mooring cleats and fairleads
standing rigging	- anodised, 2-K painted mast and boom - forestay mounted on forward beam - 2 x shrouds/sidestays with rigging screws

- sails
 - dacron main sail, fully battened, with 2 reef points
 - self-tacking jib

- electrics
 - 12 V distribution board, circuit breaker, 105Ah marine battery with fuses, masthead tri-anchor light, VHF antenna

- starboard interior
 - 1 double bunk with mattress
 - 3 stowage compartments – 1 forward, 1 aft, 1 under bunk
 - 1 manual bilge pump
 - 1 companionway steps
 - heads – marine toilet, cupboard, shelves, basin with manual water pump

- port interior
 - 1 double bunk with mattress
 - 1 single bunk with mattress
 - 1 seat / bench
 - 3 stowage compartments – 1 aft, 2 under bunks
 - 1 manual bilge pump
 - 1 companionway steps
 - heads – marine toilet, cupboard, shelves, basin with manual water pump

- miscellaneous hardware
 - 2 safety wires – 5mm stainless steel wire
 - 1 stainless steel boarding ladder – fold-down from stern steps
 - delta anchor with chain & warp

optional extras

- spinnaker (42m² / 452 sq.ft.) or screecher with halyard, bowsprit, downhaul & sheets
- roller-furling jib replacing hank-on
- transom shower
- built-in cool-box in bridgedeck
- cabin lights
- exterior lighting
- bimini – soft-top, or hard-top with windscreen
- cockpit cushions
- stove
- galley sink
- compass
- GPS
- VHF
- fold-down chart table in stb. hull
- trailer
- launching dolly

PRICE EXCLUDES DELIVERY, TAXES AND RELATED CHARGES.
PRICE AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.